

독일 기술로 만든 고품질 엔진오일, 합리적인 가격으로 제공

BENZOL은 독일의 선진 윤활유 기술과 산유국인 아랍에미리트의 생산 인프라를 결합하여 고품질 엔진 오일을 합리적인 가격으로 제공하는 글로벌 브랜드입니다.


BENZOL의 모든 제품은 독일의 피쉬바흐(Fischbach)에서 개발되고 있습니다.



세계적인 실적과 규모 BENZOL은 전세계 60여 개국에 제품을 공급하며, 글로벌 시장에서 확고한 입지를 구축하고 있습니다. 특히 높은 품질 수준을 인정받아 글로벌 자동차 제조사인 지프(JEEP), 피아트 (FIAT), 램(RAM), 닷지(DODGE), 스바루(SUBARU) 등에 OEM 공급을 했으며, 벤츠(Mercedes-Benz), 폭스바겐(Volkswagen), 볼보(Volvo), 포르쉐(Porsche) 등의 공식 승인을 받았습니다. 또한 최신 자동화생산 설비를 통한 연간 수만 톤의 생산 능력은 다양한 고객의 요구를 충족시키고 있습니다.



벤졸의 성공 비결 BENZOL은 짧은 시간 안에 글로벌 윤활유 시장에서 두각을 나타냈습니다. 독일 기술력으로 제조된 고품질 엔진오일을 아랍에미리트 공장에서 효율적으로 생산함으로써 비용을 절감하고, 이를 통해 고객에게 경쟁력 있는 가격으로 제공하고 있습니다. 이러한 접근 방식은 세계 각지의 소비자들에게 신뢰를 얻는 원동력이 되었습니다.



BENZOL을 선택해야 하는 이유

1. **고품질 보장**: 독일 기술력으로 제조된 BENZOL의 엔진오일은 차량의 최상의 성능을 유지하도록 설계되었습니다.



2. 합리적인 가격으로 운영비용을 절감하고 고객 만족도 향상

유일필터는 고품질의 엔진오일을 **직수입**하여 **유통 마진을 없애고**, 카센터 사장님들께 가장 저렴한 가격으로 공급할 수 있게 되었습니다. 또한 카센터에서는 운영비용을 줄이면서도 고객에게 고품질 엔진오일을 제공함으로써 신뢰를 얻고, 재방문율을 높일 수 있을 것입니다.



ideo-Benz AG I 70546 Stuttgart

Mercedes-Benz

GLOBAL LUBRICANT INDUSTRY LLC AL JURF INDUSTRIAL AREA 2 AL JEDDAH STREET AIMAN AIMAN UNITED ARAB EMIRATES

T/P =49 711 17 24801 T/E =89 711 17 59756

Date 22.09.2023

MB-Approval Certificate - New Approval - Engine Oil - Retired
MB-Approval 229.52 for: "BENZOL GOLD PERFORMANCE SAE 5W-30 API SN/CF ACEA C3"
Oil-Code: IME1603193-A, SAE-Grade: 5W-30

Reblend to IME 1603193-A with Oil-Code: IME 1603193-A Supplier: Infineum UK Limited

Dear Sir or Madam,

The aforementioned operating fluid complies with the requirements of the Mercedes-Benz Specifications for Operating Fluids, sheet 229.52 and is therefore approved for the respective Mercedes-Benz specifications for Operating Fluids, sheet 229.52 and is therefore approved for the respective Mercedes-Benz vehicles and assemblies. The application range is shown on the MB sheet and further defined on the sheet 223.2. Further requirements, e.g. SAE grades, capacities, change intervals etc. must also be observed.

The following regulations apply for the MB-Approval:

The MB-Approval comes into force on the date shown on this certificate

The MB-Approval automatically terminates on expiry of the validity period at the latest

The MB-Approval automatically terminates on expiry of the validity period at the latest

The MB-Approval automatically terminates on expiry of the validity period at the latest

The MB-Approval automatically terminates on expiry of the validity period at the latest

The MB-Approval active saids as the product name is lated on the Mercedes-Benz Operating Fluids website littes: //coeratingfluids.mercedes-benz.com

Applications for renewals or new approvals etc. must be made in good time

In addition, the regulations laid down in the current "Obligations Regarding Approval for Operating Fluids" contract apply.

A 2-iter back-up sample of each formulation, which can be called upon by Mercedes-Benz AG at any given moment, must be retained. We will inform you of the dispatch address.

Mercedes-Benz AG

Fitz Kesman

It our Bote i.V. Dr. Jochen Betsch

odes-Benz AG | 70546 Sturtgart | T/P +49 711 17 0 | T/F +49 711 17 2 22 44 | dising mbft

Marceles Born AC, Surgan, Germany I Str. and Registergenish, Chamistie and Court of Registery Studges*, 1988 for "Commercial Register Not. 76: 2873 Viscoluted des Administration, Chemina of the Supervising Seart Serval Studentschaft Administration of the Commercial Students of Commercial Students Search Students Search Students Search Students Search Students Search Students Search Search Students Search Students Search Students Search Students Search Search Students Search Students Search Students Search Students Search Search Students Search Students Search Students Search Search Students Search Search

VOLKSWAGEN

Global Lubricant Industry LLC Mr. Zishane Molou Al Jurf Industrial Area P.O. Box 16855 Ajman United Arab Emirates

84

9-32371

11.01.2021 DATUM

Engine Oil

Dear Mr. Zishane Molou,

Analysis of the engine oil

Global Lubricant Industry BENZOL GOLD PERFORMANCE SAE 5W-30 (Oil-Code: IME1312267-A)

has shown that product in question meets the requirements in accordance with VW Standard 504 00 and VW Standard 507 00. This engine oil is therefore suitable for use in our vehicles with LongLife Service (petrol and diesel engines, including diesel engines with particulate traps without fuel borne catalyst) in accordance with the Owner's Literature for our products.

So that it is clear to both customers and workshops that this approval has been granted, containers should state.

"approved under VW Standard 504 00 and VW Standard 507 00"

This approval is only valid for the following production site:

Global Lubricant Industry LLC, Al Jurf Ind. Area 2, P.O. Box 16855 Ajman, United Arab Emirates

Please note that this approval expires after 36 months, at which point compliance with the then valid VW standards must be verified again.

iv. Wil

Con Gotter

Dr. Heinl

Dr. Fölster

OUTSWAGEN AKTIENCESES BASE WOUTSBURG BUTSCHLAND TLEFON ~49 SNEL 9-0 BLEFAX +49 STEL 9-28282

VW@VOLKSWAGEN.DE IANS DIETER POTSON

CIVIDE BOUNE MARKUS DUESMANN GUNNAR KUIAN ANDREAS RENSCHLER STEFAN SOMMER HILTRUD D. WERNER



rdes-Beny AG (70546 Stutty

Mercedes-Benz

GLOBAL LUBRICANT INDUSTRY LLC AL JURF INDUSTRIAL AREA 2 AL JEDDAH STREET AIMAN AIMAN UNITED ARAB EMIRATES

T/P +49 711 17 24801 T/F +49 711 17 59756

Date 29.09.2023

Additional MB-Approval Certificate - Engine Oil - Retilend
Additional MB-Approval 229.51 for: "BENZOL GOLD PERFORMANCE SAE 5W-30 API SN/CF ACEA C3"

Dear Sir or Madam,

The aforementioned operating fluid complies with the requirements of the Mercedes-Benz Specifications for Operating Fluids, sheet 229.51 and is therefore approved for the respective Mercedes-Benz specifications for Operating Fluids, sheet 229.51 and is therefore approved for the respective Mercedes-Benz vehicles and assemblies. The application range is shown on the MB sheet and further defined on the sheet 223.2. Further requirements, e.g. SAE grades, capacities, change internal sets. must also be observed.

The following regulations apply for the MB-Approval:

The MB-Approval comes into force on the date shown on this certificate

The MB-Approval comes into force on the date shown on this certificate

The MB-Approval comes into force on the date shown on this certificate

Applications for renewals or new approvals etc. must be made in good time

In addition, the regulations laid down in the current "Obligations Regarding Approval for Operating Fluids" contract apply.

This is an Additional MB-Certificate, it does not affect the period of validity of other certificates. The period of validity of the relevant MB-Approval Certificates and shall be attached.

Sincerely Mercedes-Benz AG

Fitz Kesman

It our Bety

i.V. Fritz Kreitmann

erv AG | 70546 Stuttgart | T/P +49 711 17 0 | T/F +49 711 17 2 22 44 | dalog mbilim

Mercedes Bers AS, Suttgan, Germany | Sits and Registergeinth/Demicile and Coust of Registry, Statigut, 1988 No./Commercial Register No.: 19 2873 Instituted des Advanturas, Chemical des Supressos, Seath Bers Habetteinder (Annual Parks, News Mercell, Annual Parks, Annual Parks, Annual Parks, Statier Keinleiner, Marks) Schilder, Britis Seeger, Markens Statis, Allers Mercell.

VOLKSWAGEN AKTIENGESELLSCHAFT

GLOBAL LUBRICANT INDUSTRY LLC Mr. Zishane Molou Al Jurf Ind. Area 2, P.O. Box 16855 Ajman, United Arab Emirates

ZP

04.09.2023 1437-eh-lf 9-43156 9-32371

12.09.2023

Engine Oil

Dear Mr. Molou.

Analysis of the engine oil

BENZOL GOLD PERFORMANCE MODERN DRIVE API SN/CF SAE 5W-40 (ÖI-Code: IME2001108-A)

has shown that product in question meets the requirements in accordance with VW Standard 502.00 and VW Standard 505.00. This engine oil is therefore suitable for use in our perfoi and diesel engines, including engines with turbochargers, in accordance with the Owner's Literature for our products.

So that it is clear to both customers and workshops that this approval has been granted, containers should state:

"approved under VW Standard 502 00 and VW Standard 505 00"

Please note that this approval expires after 36 months, at which point compliance with the then valid VW standards must be verified again.

iv. M

Lon Sall

Dr. Heinl

Dr. Fölster

INTERNAL

HANS DIETER PÖTSCH

RALF BRANDSTÄTTER MANFRED DÖSS MARKUS DUESMANN UNNERS CITIES HOMAS SCHÄFER

0,1			Document Type APPROVAL FORM	
VOIVO		Product Type ENGINE OIL	Area of Application	
Volvo Car Corporation COPYRIGHT VOLVO CAR CORPORATION [2010] ANDIOR LICENSED			Approval Revision	Page No
TO VOLVO CAR CORPORATION, ALL RIGHTS RESERVED			001	1 (1)
Date of Approval: 2024-06-04 Document Name			Expiry Date of Approval: 2026-06-04	
	NGINE OIL 95200	377 ACEA A5/E	35 SAE 0W-30 - SE	ERVICE FILL
Part must comply with V	CC Restricted Substance I	Management Standard (RSMS) VCS 5035,5	
	Tec	hnical A	pproval	
Material Specific	cation Information			
Specification Document No.:		95200377		
Specification Name:		ACEA A5/B5 SAE 0W-30 - Service Fill		
Area of application:		Aftermarket		
Viscosity Grade:		0W-30		
ACEA classification:		A5/B5-16		
Supplier informa	ation:			
Oil Company:	il Company: Global Lubricant Industry LLC		Contact Name:	Zishane Molou
Contact e-mail:	zishane molou@globallubricant.com BENZOL GOLD PERFORMANCE		Contact Tel.:	
Product Name:	SAE 0W30 API SL		Viscosity Grade ACEA	2: _0W-30
Product Code:	IME1106117-A		classification:	A5/B5-16
Have there been	any modifications s	ince last approva	n/a	
If "Yes", type of r	modifications:			
Approver Inform	nation:			1
Approver Name:	Per Han	erp	Signature:	N
reprove realing.				

Expiry date of approval:

2026-06-04

Date of approval:

2024-06-04





Ford Motor Company Date: November 22, 2024

Mr. Zishane Molou Global Lubricant Industry LLC PO Box 16855 Al Jurf 2, Industrial Area, Ajman Ajman, United Arab Emirates

Ref: Global Lubricant Industry LLC: Request for Approval for FORD WSS-M2C913-D

Mr. Zishane Molou:

Your claim is acknowledged for Ford WSS-M2C913-D for the following product using Infineum product code IME2006602-A at your Ajman, United Arab Emirates blend plant location:

BENZOL GOLD PERFORMANCE MODERN DRIVE SAE 5W30 ACEA A5/B5

However, please ensure that you adhere to this formulation including the additive types, additive treat rates and the base oils and ratios used for blending. Ford has the right to take samples, request analysis of the blends, and, if requirements are not met, has the right to require you to remove the acknowledgement and any references to Ford from the product, this also includes any literature on the product making the same references.

This acknowledgement is only for the product(s) listed above and is applicable for as long as the product(s) are in production. No formulation changes are permitted. Any planned formulation changes will be reviewed with a Ford Lubricant engineer prior to implementation to determine if re-testing is required. Formulation changes not disclosed to Ford Lubricant Engineering will result in immediate acknowledgement removal.

Ford hereby excludes all liability whatsoever for our above acknowledgement and reserves our rights, as the testing has not been conducted by Ford and the acknowledgement was based only on the information provided.

This acknowledgement from Ford in no way implies that Ford is recommending the oil / additive. In no circumstances can any actual or implied recommendation be made to third parties. Suppliers should NOT use phrases such as 'approved' or 'recommended' by Ford in their publications.

Yours sincerely,

Rob Zdrodowski
Rob Zdrodowski
Lubricant Engineer
rzdrodow@ford.com



Dr. Frg. h.c. F. Pariche Miningrosthathalt - Footbach 1199- D-71080 Welstach Global Lubricants Industry LLC Attn: Mr. Zishane Molou P.O. Box 1685 Aiman

Dr. Ing. h.c. F. Parsche Aktiengesellschaft

Porsobestraße 911 D - 71287 Weissach

Tel. +49 (0) 7 11 / 9 11 - 843 10 Telefax +49 (0) 7 11 / 9 11 - 821 47 Email hans-peter.deeg@porsche.de

Oar wilespee

EAB2 / DG / LW

June 14, 2022

Motor Oil Approval (993/94-022)

United Arab Emirates

Persohe Reference No.	2022/04/1645		
Oil company	Global Lubricants Industry LLC		
Oil product name	Benzol Gold Performance 5W-40		
SAE viscosity	5W-40		
Oil code	IME 0804338-A		
Start of approval	April 1, 2022		
End of approval	March 31, 2025		
Marketing area	Middle East, Africa, South Asia & South		

Dear Mr. Molou.

Based on the information given by your company and our analysis, PORSCHE is giving its approval according to the Porsche oil category "A40" (currently valid for petrol engines in accordance with the Owner's Literature) to your motor oil Benzol Gold Performance 5W-40. We will include your motor oil in the next issue of our "Technical Information Motor Oil".

This approval will expire on March 31, 2025, if no extension is requested before in good time. This approval will expire before the end of the above mentioned period: if the approved formulation is changed or if negative fields results are recorded or for any reason if Porsche deems it necessary.

You may inform your customers about this approval (Porsche "A40") in a descriptive, non-advertising manner in neutral typeface not larger than the one that is used to express the fulfilment of other manufacturers' specifications. Any further reference to Porsohe or the use of the crest and logotype of Porsohe is strictly prohibited.

Yours sincerely,

Dr. Ing. h.c. F. Porsche Aktiengesellschaft Advanced Engineering Powertrain Dept.

i. V. T. Wasserbäch

i. A. H.-P. Deeg

cc: PEG-V

Wasserbaech Thomas VWPK | Digital unfersichteben von Wasserbaech | Deeg Hans-Peter VWPK | Digital unfersichteben von Wasserbaech | Deeg Hans-Peter VWPK | Digital unfersichteben von Wasserbaech | Deeg Hans-Peter VWPK | Digital unfersichteben von Wasserbaech | Deeg Hans-Peter VWPK | Digital unfersichteben von Wasserbaech | Deeg Hans-Peter VWPK | Digital unfersichteben von Wasserbaech | Deeg Hans-Peter VWPK | Digital unfersichteben von Wasserbaech | Deeg Hans-Peter VWPK | Digital unfersichteben von Wasserbaech | Deeg Hans-Peter VWPK | Digital unfersichteben von Wasserbaech | Deeg Hans-Peter VWPK | Digital unfersichteben von Wasserbaech | Deeg Hans-Peter VWPK | Digital unfersichteben von Wasserbaech | Deeg Hans-Peter VWPK | Digital unfersichteben von Wasserbaech | Deeg Hans-Peter VWPK | Digital unfersichteben von Wasserbaech | Deeg Hans-Peter VWPK | Digital unfersichteben von Wasserbaech | Deeg Hans-Peter VWPK | Digital unfersichteben von Wasserbaech | Deeg Hans-Peter VWPK | Digital unfersichteben von Wasserbaech | Deeg Hans-Peter VWPK | Digital unfersichteben von Wasserbaech | Deeg Hans-Peter VWPK | Digital unfersichteben von Wasserbaech | Deeg Hans-Peter VWPK | Digital unfersichteben von Wasserbaech | Deeg Hans-Peter VWPK | Digital unfersichteben von Wasserbaech | Deeg Hans-Peter VWPK | Digital unfersichteben von Wasserbaech | Deeg Hans-Peter VWPK | Digital unfersichteben von Wasserbaech | Deeg Hans-Peter VWPK | Digital unfersichteben von Wasserbaech | Deeg Hans-Peter VWPK | Digital unfersichteben von Wasserbaech | Deeg Hans-Peter VWPK | Digital unfersichteben von Wasserbaech | Deeg Hans-Peter VWPK | Digital unfersichteben von Wasserbaech | Deeg Hans-Peter VWPK | Digital unfersichteben von Wasserbaech | Deeg Hans-Peter VWPK | Digital unfersichteben von Wasserbaech | Deeg Hans-Peter VWPK | Digital unfersichteben von Wasserbaech | Deeg Hans-Peter VWPK | Digital unfersichteben von Wasserbaech | Deeg Hans-Peter VWPK | Digital unfersichteben von Wasserbaech | Deeg Hans-Peter VWPK | Deeg Hans-Peter VWPK | Deeg Hans-Pet We are pointing out that this letter only addresses whether product reviewed meets the Porsche standards. We do not address or express any view on compliance with national chemical inventories, the marketability in any sales market or the compliance with local chemical substances laws or other applicable laws. Responsibility for compliance with such legal requirements falls to the engine oil maker, importer or distributor.

5,2508.16.05 St. Ing No. 7. Paradie Alcheographistolik Readpotest Statigan Registeratus Statigat Regissational (180-les, 7/88/75)

Dr. Waltgarg Forsitie Manager Chairman of the Dupervisory Daw III Prof. Freditoral Streamber Forsitie (11)

Late West No. Deputy Chairman Dr. Michael Straner, New Harden Sticitor, Analysis Halface, Determine Plater, Marech Straniel